



U.S. BASED SUPPORT

HOURS: MONDAY - FRIDAY | 8AM - 5PM EST



[1.410.840.3555](tel:14108403555)




support@iagperformance.com



VIDEO INSTRUCTIONS

<https://www.youtube.com/watch?v=vi9kavSW68s>





IAG Alternator Cover For 2022-2025 Subaru WRX

IAG Alternator Cover for 2022-2025 Subaru WRX

Part Number: IAG-ACC-5337

Congratulations on the purchase of your Alternator Cover and thank you for choosing IAG Performance! These instructions are intended for users with basic mechanical skills. Professional installation is not required.

Product includes:

- 1** Alternator Cover
- 2** Color Plate
- 3** Cover Bracket
- 4** (X2) 10mm Bolt
(X2) 4mm Allen Bolts
2.5mm Allen Bolt




Tools Needed:


2.5MM Allen Wrench
4mm Allen Wrench
10mm Wrench




Scan Me




Step 1: Remove the factory 10mm bolt from the stock alternator cover, on top of the alternator.




Step 1.2: Remove the stock alternator cover.




Step 2: Remove the factory 10mm bolt from the bracket on top of the A/C Compressor.




Step 3: Prepare the IAG Cover Bracket, Install on top of the A/C compressor bracket as shown.



Step 4: Install provided 10mm bolt into Cover Bracket on top of Compressor. Do not tighten at this time.




Step 4.2: Install provided 10mm bolt into the Cover Bracket on top of alternator. Tighten both bolts for Bracket. (10Nm)




Step 5: Install the Color Plate to the IAG Alternator Cover using provided 2.5mm Allen bolt. Do not tighten at this time.



Step 6: Install the Alternator Cover onto the vehicle, center the Color Plate to the Cover.



Step 7: Install and Tighten the two 4mm Allen Bolts into the Alternator Cover. (5Nm)



Step 7.2: Tighten the 2.5mm Allen Bolt for the color Plate. (2Nm)



If you have any questions about the installation or product please contact support@iagperformance.com or call 410-840-3555